

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

WHAT IS CLAIMED IS:

1. A photosensitive composition for sandblasting comprising the components of:

5 (A) a photopolymerizable urethane (meth)acrylate oligomer comprising (meth)acryloyl group;

(B) an acrylic copolymer; and

(C) a photopolymerization initiator,

wherein the component (B) comprises, as a monomer unit,
10 a copolymerizable monomer comprising one of a benzene ring and a cyclohexyl group.

2. The photosensitive composition according to claim 1, wherein the component (A) comprises 50% by weight or more of
15 urethane (meth)acrylate oligomer comprising polyether structural unit in a main chain.

3. The photosensitive composition according to claim 1, wherein the component (A) comprises a reaction product of a
20 compound comprising a terminal isocyanate group and a (meth)acrylate compound,

wherein the compound comprising a terminal isocyanate group is obtained by reacting a polyether compound comprising a terminal hydroxyl group with a diisocyanate compound, and
25 the (meth)acrylate compound comprises one of a hydroxyl group

and a carboxyl group.

4. The photosensitive composition according to claim 3,
wherein the polyether compound comprising a terminal hydroxyl
5 group comprises (poly)alkylene glycol.

5. The photosensitive composition according to claim 1,
wherein the component (B) comprises from 2% to 70% by weight
of the copolymerizable monomer comprising one of a benzene ring
10 and a cyclohexyl group, based on the total amount of the component
(B).

6. The photosensitive composition according to claim 1,
which comprises:
15 from 10 to 90 parts by weight of the component (A);
from 10 to 90 parts by weight of the component (B); and
from 0.1 to 25 parts by weight of the component (C),
based on the total amount of the components (A), (B) and (C).

20 7. The photosensitive composition according to claim 1,
wherein the component (B) has an acid value of from 50 mgKOH/g
to 250 mgKOH/g.

8. The photosensitive composition according to claim 1,
25 which further comprises a photopolymerizable monomer in an

amount of no more than 20 parts by weight based on 100 parts by weight of the total amount of the components (A), (B) and (C).

- 5 9. A photosensitive film comprising a flexible film, a layer, comprising the photosensitive composition according to claim 1, and a releasable film in this order.

10